## F1G. 1A

SAGE?	ם	כ					<b>D</b>		3		3		2					٥				),	ָ כ	
EST?	$\Sigma$		$\Sigma$	$\Sigma$	P		2								2	þ	b	2	Z		3	3		
Accession #	M87789 gene 1	J00231 gene 1	R85690 3' UTR 2a	R46753 3' UTR 2a	731695 gene 1	U06088 gene 1	R71870 3' UTR 1	X57348 gene 1	J00277 gene 1	X55740 gene 1	U03106 gene 1	X80200 gene 1	U03106 gene 1	1 13738 gene 1	T67406 3' UTR 2a	H20434 3' UTR 1	720656 gene 1	M21389 gene 1	LISONER 2' LITE 2a	H20030 3 0113 24		T51913 3' UTR 1	X63380 gene 1	
nduced EST #	11	14 Hea 1534	Les 20518	108.202101	6Hea 2820	19Hsa.41163	19 Hsa. 2836	6Hsa.2551	6Hsa.41123	5Hsa.13765	Hsa 224	7 Hsa 8966	Hcs 224	13 Hea 1556	EALUS 0403	101120000	12 MSa. 300 I	1150.330	ZUIMSA. 000	10 Hsa. 36025	15 Hsa. 1464	Hsa.1971	Hsa.3011	
I AM in FR	AC O	0.00	7.0	0.40	0.7	0.7	20.0	0.00	0.0	0.95	00:0	20.0	0.00					0		0.85	0.7	0.4	0.47	TO F16
Induced Induced Induced	M > MiM IU EB 1:1	0.85	-	0.95		0.95			8.0	0.83			0.0	<u></u>		0.85		0.93	0.95	0.95	6.0			>>
	Intensity in EB.	-36.7	107	-30.9	86.4	155	53.4	46.4	148	137	139	-4.82	98.6	-3.31	45.8	10.5	46.4	1-99.1	25.5		24.7	21.7	6.03	-9.41
	Gene # Intensity in EB 1	1450	1450	1220	1070	1010	1010	864	862	788	714	989	645	599	582									445
	Gene #		- 6	1 6	2	5	9	7	œ	0	10	1	12	13	14	4	2 4	5 5		28	5	20	21	22

# FIG. 1B

											<del></del>			_							
																					<u></u>
	2		2	>							<b>&gt;</b>			$\Sigma$							2
	R94967 3' UTR 2a	T41265 3' UTR 1	R69448 3' UTR 2a	R59199 3' UTR 1	M27138 gene 1	X82166 gene 1	Z20656 gene 1	X05615 gene 1	U01147 gene 1	M64347 gene 1	R71505 3' UTR 2a	X15880 gene 1	L16242 gene 1	H19201 3' UTR 2a	U02388 gene 1	L18920 gene 1	X70340 gene 1	R49565 3' UTR 1	X54156 gene 1	Z11502 gene 1	X07696 gene 1
	Hsa.21756	12 Hsa. 1069	6 Hsa. 32222	17 Hsa.2611	36 Hsa.620	6 Hsa. 401	Hsa.936	Hsa.3064	6Hsa.243	6 Hsa. 1432	6 Hsa.32445	22 Hsa.3348	16 Hsa.2000	Hsa.8468	Hsa.169	Hsa.41094	Hsa.2054	7 Hsa.21901	Hsa.1876	5 Hsa. 2827	10Hsa.2835
		12	9	17	36	9			16	9	9	22	16		17	7	7	7		3	9
TO FIG. 1A	0.5	0.55	0.65	0.75	0.59	9.0	0.5	0.48	0.52	0.94	0.8	0.55	2.0	0.45	0.62	0.78	0.0	0.8	0.48	0.55	0.69
<b>F</b>	0.9	0.95	0.8	-	0.94	0.0	0.85	96.0	0.81		0.95	0.0	0.9	6.0	0.9	-	6.0	0.95	0.76	6.0	-
	-6.03	32.8	61.2	21.9	10.5	61.1	-34.4	-42.5	21.1	54	55.6	13.3	18.7	-18.3	17	40.7	37.4	38.1	-30.5	48.2	25.5
	437	385	383	383	376	364	353	341	331	329	313	293	291	288	782	276	275	269	252	250	247
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	36	40	41	42	43

# F16. 1C

Service of the service of the service of the service of the percentage of the service of the ser
Human Ig gamma3 heavy chain disease OMM protein mRNA.
274912 MYELIN TRANSCRIPTION FACTOR 1 (Homo sapiens)
152524 CYCLIN-DEPENDENT KINASE INHIBITOR 1 (Homo sapiens)
H.sapiens mRNA for 43 kDa inositol polyphosphate 5-phosphatase.
Human N-acetylgalactosamine 6-sulphatase (GALNS) gene, exon 14.
155730 KERATIN, TYPE I CYTOSKELETAL 17 (HUMAN);.
H.sapiens mRNA (clone 9112), kinase related protein.
c-Ha-ras1 proto-oncogene, complete coding sequence, Human (genomic clones lambda-[SK2-T2, HS578T]; cDNA clones RS-[3.4, 6]).
Human placental cDNA coding for 5'nucleotidase (EC 3.1.3.5).
Human wild-type p53 activated fragment-1 (WAF1) mRNA, complete cds.
H.sapiens MLN62 mRNA.
Human wild-type p53 activated fragment-1 (WAF1) mRNA, complete cds.
Human activated p21cdc42Hs kinase (ack) mRNA, complete cds.
81780 COMPLEMENT C4 PRECURSOR (Homo sapiens)
172486 clone, mRNA for tuberin, or TSC2 gene.
Homo sapiens of cardiac alpha-myosin heavy chain gene.
KERATIN, TYPE II CYTOSKELETAL 5 (HUMAN); contains MSR1 repetitive element ;.
182000 FK506-BIŅDING PROTEIN PRECURSOR (Mus musculus)
Human insulin-like growth factor-binding protein-3 gene, complete cds, clone HL1006d.
72466 ALPHA CRYSTALLIN B CHAIN (HUMAN).
Homo sapiens mRNA for serum response factor-related protein, RSRFR2.

TO FIG. ID

#### FIG. 1D

TO FIG. IC
198656 HEPATOCYTE GROWTH FACTOR-LIKE PROTEIN PRECURSOR (Homo sapiens)
62461 SMALL NUCLEAR RIBONUCLEORPROTEIN Particle N (SNRPN), contains MSR1 repetitive element,.
155335 INTEGRIN ALPHA-3 (Homo sapiens)
41792 TUBULIN BETA-2 CHAIN (HUMAN);.
Human estradiol 17 beta-dehydrogenase gene, complete cds.
H.sapiens mRNA for cystathionine-beta-synthase.
Homo sapiens of cardiac alpha-myosin heavy chain gene.
Human mRNA for thyroglobulin,
Human guanine nucleotide regulatory protein (ABR) mRNA, complete cds.
Human novel growth factor receptor mRNA, 3' cds.
142899 DNA-DIRECTED RNA POLYMERASE III LARGEST SUBUNIT (Plasmodium falciparum)
Human mRNA for collagen VI alpha-1 C-terminal globular domain.
Homo sapiens sodium channel type I, beta subunit (SCN1B) mRNA, complete cds.
50887 GUANINE NUCLEOTIDE DISSOCIATION STIMULATOR RALGDSA (Mus musculus)
Human cytochrome P450 4F2 (CYP4F2) mRNA, complete cds.
Human MAGE-2 gene exons 1-4, complete cds.
H.sapiens mRNA for transforming growth factor alpha.
38251 H.sapiens HSJ1 mRNA.
p53
H.sapiens mRNA for intestine-specific annexin.
KERATIN, TYPE I CYTOSKELETAL 15 (HUMAN); contains MER20 repetitive element ;.

## F1G. 1E

٠٠.	1	7	T-	T	T	Г	т-	τ	Т	Τ-	1	Т		Γ-	$\overline{}$	<del></del>	_	<del></del>	1		_
SAGE	b	b		b			b		b	b		b	b	P		2		b	b	þ	Ļ
EST?	2		2	2		2		2	2	þ	2	þ	þ	3		þ		þ			
Accession #	H24346 3' UTR 2a	U17280 gene 1	L06419 gene 1	H04238 3' UTR 2a	L31409 gene 1	X07696 gene 1	Y00406 gene 1	R85613 3' UTR 1	T98002 3' UTR 2a	M95167 gene 1	R62945 3' UTR 2a	Z18951 gene 1	M74509 gene 1	R42765 3' UTR 2a	L07597 gene 1	U06643 gene 1	M67454 gene 1	V00511 gene 1	X54936 gene 1	X54936 gene 1	M79463 gene 1
nduced FST #	9 Hsa.35663	12 Hsa.3189	5 Hsa. 1915	7 Hsa.33725	Hsa.693	12 Hsa. 2835	Hsa.2072	Hsa.1159	Hsa.19576	Hsa.407	5 Hsa.31500	Hsa.2625	Hsa.3344	6Hsa.3893	13 Hsa.2112	17 Hsa. 1382	11 Hsa.2208	Hsa.2729	Hsa.2947	Hsa.2947	9 Hsa.1870
PM > MM in EB 1 PM > MM in EB Ratio	0.55	0.5	1	0.5	0.4	0.71	0.38	0.43	0.71	0.38	0.8	0.43	0.4	0.5	0.62	0.33	0.7	0.45	0.45	0.5	0.76
n EB 1. P	0.8	0.9	6.0	0.85	0.85	0.94	1	6.0	0.82	0.81	-	0.86	0.85	0.85	0.86	0.92	6.0	6.0	0.91	-	0.94
	26.2	19.6	47.6	32.8	-53.5	18.7	-0.125	-28.8	-13.5	-22.4	39.5	-2.31	8.4	32	15.2	11.6	18.1	-12.6	-6.86	-20.9	20.9
Intensity in £B	-									Ž-		-2			T-	1	1	-1	9-	-2	2
Gene #:   Intensity in EB 1:	245	245	239	232	225	222	218	217	215	212	210	204	199	199	198	194	192	190	189	183	182
Gene #	44	45	46	47	48	49	20	5.1	52	53	54	55	99	57	28	59	09	61	62	63	64

TO FIG. IF

#### FIG. 15

TO FIG. 1E

<u>!</u>	τ				т	1	Т	T	т	<del></del>	1	1	т—	····		т.		T	·	,	·
	þ	b	b	23	þ	þ	b		b	P	P		þ	þ	þ			b		þ	
P			þ	2	2	2	2	2	2	2	2	<b>b</b>			$\Sigma$	D		2	2	2	
D25217 gene 1	M38451 gene 1	L36069 gene 1	M33388 gene 1	M13755 gene 1	R84974 3' UTR 2a	R48578 3' UTR 2a	R62459 3' UTR 2a	H26960 3' UTR 2a	M94547 gene 1	T64470 3' UTR 1	T97948 3' UTR 2a	U14631 gene 1	L05072 gene 1	M67454 gene 1	M32011 gene 1	U28249 gene 1	U28369 gene 1	M96980 gene 1	H40980 3' UTR 2a	T60155 3' UTR 1	X07876 gene 1
6 Hsa.36694	Hsa.772	Hsa.2402	Hsa.967	Hsa.837	8 Hsa.37262	5 Hsa.27577	5 Hsa.25777	6 Hsa. 35954	Hsa. 1842	Hsa.218	6 Hsa. 19553	Hsa.1387	9 Hsa. 2823	7 Hsa.2208	Hsa.955	14 Hsa. 3279	Hsa.9537	Hsa.1846	Hsa.36766	Hsa.1221	10 Hsa. 2826
9.0	0.22	0.38	0.35	0.45	0.76	2.0	0.65	0.7	0.5	9.0	0.62	0.65	0.7	0.79	0.65	0.48	0.71	0.48	0.76	0.6	9.0
6.0	0.89	0.9	0.85	0.95	-	0.95	6.0	0.8	6.0	0.95	0.76	0.95	0.85	0.86	0.95	-	0.95	0.81	0.88	0.8	0.9
27.7	-77.8	-39.7	-249	-4.32	20.7	30.1	31.1	25.6	-10.4	8.9	26.3	6.01	15.1	20	3.08	10.1	7.45	6.17	-8.34	-6.81	12.3
180	178	178	176	175	165	165	165	163	161	157	154	147	141	141	141	140	136	132	119	118	117
65	99	67	68	69	70	7.1	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86

# F1G. 1G

Figure 1 and
52065 GROWTH ARREST AND DNA-DAMAGE-INDUCIBLE PROTEIN GADD45 (Homo sapiens)
Human steroidogenic acute regulatory protein (StAR) mRNA, complete cds.
LYSYL HYDROXYLASE (PLOD), (HUMAN)
151767 FASL RECEPTOR PRECURSOR (Homo sapiens)
Homo sapiens creatine transporter mRNA, complete cds.
KERATIN, TYPE I CYTOSKELETAL 15 (HUMAN); contains MER20 repetitive element ;.
Human mRNA for thyroperoxidase.
275040 HEPATOCYTE GROWTH FACTOR-LIKE PROTEIN PRECURSOR (HUMAN);.
121731 CYTOCHROME P450 IVB1 (Rattus norvegicus)
Homo sapiens dopamine transporter (SLC6A3) mRNA, complete cds.
139080 COMPLEMENT DECAY-ACCELERATING FACTOR 1 PRECURSOR (Homo sapiens)
H sapiens mRNA for caveolin.
Human endogenous retrovirus type C oncovirus sequence.
31481 TYROSINE-PROTEIN KINASE HCK (Homo sapiens)
Homo sapiens ribosomal protein S6 kinase 2 (RPS6KA2) mRNA, complete cds.
Human keratinocyte lectin 14 (HKL-14) mRNA, complete cds.
Human Fas antigen (fas) mRNA, complete cds.
Human mRNA encoding pregastrin (a regulatory hormone of gastric acid secretin and growth of the gastrointestinal mucosa).
H.sapiens mRNA for placenta growth factor (PIGF).
H.sapiens mRNA for placenta growth factor (PIGF).
Human PML-2 mRNA, complete CDS.

TO FIG. IH

#### FIG. 1H

TO FIG. 1G
Human mRNA (KIAA0027) for ORF, partial cds.
Human placenta-specific growth hormone mRNA, complete cds.
Human high conductance inward rectifier potassium channel alpha subunit mRNA, complete cds.
Human cytochrome P450 IID6 (CYP2D6) gene, complete cds.
INTERFERON-INDUCED 17 KD/ 15 KD PROTEIN (HUMAN)
180447 FIBROBLAST GROWTH FACTOR RECEPTOR 3 PRECURSOR (Homo sapiens)
153585 EBNA-2 NUCLEAR PROTEIN (Epstein-barr virus)
36678 TROPONIN C, ISOFORM 2 (Balanus nubilis)
182125 HDL-BINDING PROTEIN
HUMMLC2At; Homo sapiens: 593 base-pairs
80486 LIVER CARBOXYLESTERASE PRECURSOR (HUMAN);.
121916 NEUTRAL CALPONIN, SMOOTH MUSCLE (Sus scrofa)
Human 11 beta-hydroxysteroid dehydrogenase type II mRNA, complete cds.
Homo sapiens interferon regulatory factor 1 gene, complete cds.
Human Fas antigen (fas) mRNA, complete cds.
NEUTROPHIL OXIDASE FACTOR (p67 PHOX) (HUMAN)
Human 11kd protein mRNA, complete cds.
Human semaphorin V mRNA, complete cds.
MYELIN TRANSCRIPTION FACTOR 1 (HUMAN);.
175991 NEURONAL CALCIUM SENSOR 1 (Rattus norvegicus)
81422 HUMAN SMOOTH MUSCLE ALPHA-ACTIN (AORTIC TYPE)
Human mRNA for irp protein (int-1 related protein).

#### FIG. 11

	<del></del>	_	_						,						
	SAGE				b	<u> </u>			b						
	F. EST?		þ	2	2	þ	þ					E	) >	) 5	)  2
	Accession #	M67454 gene 1	M14083 gene 1	R37128 3' UTR 2a	R70008 3' UTR 2a	U14747 gene 1	X77737 gene 1	L25541 gene 1	M33388 gene 1	M75126	712020 gene 1	D12620 gene 1	.105200 gene 1	R51856 3' LITR 2a	R01072 3' UTR 2a
,	ES   #	Hsa.2208	Hsa.1881	Hsa.22529	Hsa. 10171	Hsa.2325	Hsa.2980	7 Hsa.2131	Hsa.967	Hsa. 1497	Hsa 2013	7 Hsa 101	Hsa 1984	7 Hsa 27854	
peonpu	. Katio													7	
AN ANN TO	W > WW IN EB	0.5	0.45	0.55	0.5	0.7	0.38	0.7	0.47	0.6	0.57	0.65	0.5	0.65	0.45
AN CANANTER TO	TOWN SIMINI IN EB IN PIN SIMINI IN EB RATIO	0.92	0.8	0.8	-	0.85	6.0	6.0	0.87	0.0	0.81	0.0	0.95	0.85	0.0
		1.9	-21.3	-0.81	0.0333	8.36	-6.04	14.7	-168	-5.05	6.79	11.9	2.73	11.1	-0.934
Informativ in CD 1 1 Informativ in CD	- 1	117	107	107	106	105	105	104	103	88	85.9	84.6	82.8	81.5	79.9
	: # Silan	87	88	88	8	91	92	93	94	95	96	97	86	66	100

#### = 16.11

Gene Description
Human Fas antigen (fas) mRNA, complete cds.
Human beta-migrating plasminogen activator inhibitor I mRNA, 3' end.
26063 COMPLEMENT C4 PRECURSOR (Homo sapiens)
142450 VASCULAR ENDOTHELIAL GROWTH FACTOR PRECURSOR (Rattus norvegicus)
Human visinin-like peptide 1 homolog mRNA, complete.cds.
H.sapiens mRNA for red cell anion exchanger (EPB3, AE1, Band 3) 3' non-coding region.
Human laminin S B3 chain (LAMB3) mRNA, complete cds.
Human cytochrome P450 IID6 (CYP2D6) gene, complete cds.
Human hexokinase 1 (HK1) mRNA, complete cds.
Human mRNA for the MDM2 gene.
Human mRNA for cytochrome P-450LTBV.
RYANODINE RECEPTOR, SKELETAL MUSCLE (HUMAN);.
39052 POTASSIUM CHANNEL PROTEIN EAG (Drosophila melanogaster)
124416 SERINE THREONINE-PROTEIN KINASE COT-1 (Neurospora crassa)

# F16. 2A

SAGE?	$\Sigma$	2	2	2]	2)	2														b	
EST?	$\square$		2		$\Sigma$	$\Sigma$	$\Sigma$	$\Sigma$		$\Sigma$	2		2	<b>—</b>	23	$\mathbf{Z}$	2	2	2	P	
Accession #	T57686 3' UTR 1	T76971 3' UTR 1	R84411 3' UTR 1	H77597 3' UTR 1	T90759 3' UTR 2a	R81812 3' UTR 2a	R91912 3' UTR 1	R08183 3' UTR 1	X77956 gene 1	H23544 3' UTR 2a	T74556 3' UTR 1	M12623 gene 1	J04173 gene 1	D14696 gene 1	T87527 3' UTR 2a	T61661 3' UTR 1	R02151 3' UTR 1	R23889 3' UTR 2a	H73758 3' UTR 1	D43950 gene 1	D14657 gene 1
Repressed Ratio	6.9 Hsa.1137	8.04 Hsa.10770	5.59 Hsa.1047	7.7 Hsa.2715	12.7 Hsa.14842	5.83 Hsa. 18397	7.57 Hsa.1311	5.05 Hsa.1205	5.95 Hsa.2806	5.75 Hsa.11673	5.73 Hsa. 1190	21.8 Hsa.1505	5.84 Hsa. 1896	6.23 Hsa. 122	6.24 Hsa.17649	5.8 Hsa.1013	10.1 Hsa.1401	8.48 Hsa. 18401	10.4 Hsa. 1676	5.99 Hsa.1617	Hsa.115
PM > MM in EB : Ratio : EST #		-	1	0.85	1	1	1	1	1	0.95	1	1	1	1	1	7	0.95	-	~	_	0.95
B PM > MM in EB T		0.75	1	0.75	0.95	1	0.85	0.95	96.0	0.75	6.0	6.0	0.8	0.9	6.0	6.0	0.7	6.0	0.85	0.85	0.5
	27	2600	2300	2010	1970	1770	1580	1570	1460	1450	1410	1350	1170	1110	1100	1060	1030	1020	666	928	867
Gene # Intensity in EB 1: Intensity in I	400	323	411	261	156	303	209	311	245	253	246	62	201	178	176	183	102	120	96.4	146	3.17
Gene #		2	က	4	2	မ	7	8	တ	5	=	12	13	14	15	16	17	18	19	20	21

TO FIG. 2B

# FIG. 2B

	<u>:</u>	γ	т—	т	т—						т—				,	,						,
				2																		
	3		$\Sigma$	2				$\Sigma$		$\Sigma$	þ	$\Sigma$	b		2			2	$\mathbf{Z}$			
	H49652 3' UTR 2a	M29065 gene 1	H09351 3' UTR 1	T56604 3' UTR 2a	J04977 gene 1	Y00705 gene 1	M13450 gene 1	H29485 3' UTR 1	X74104 gene 1	R06239 3' UTR 2a	D16111 gene 1	T94834 3' UTR 2a	U14603 gene 1	L25941 gene 1	H29320 3' UTR 2a	X64330 gene 1	D14658 gene 1	H65116 3' UTR 1	R37660 3' UTR 2a	X74330 gene 1	M13665 gene 1	U10116 gene 1
	5.22 Hsa. 12893	6.04 Hsa.1043	9.34 Hsa.448	9.05 Hsa.6472	10.8 Hsa.1778	18.8 Hsa. 2965	13.2 Hsa. 1422	5.19 Hsa.1046	5.2 Hsa.3037	8.19 Hsa.10011	5.4 Hsa.347	6.73 Hsa.9937	7.72 Hsa.3253	15.5 Hsa.1786	8.31 Hsa.14831	8.74 Hsa.1606	6.37 Hsa.116	6.27 Hsa.3318	Hsa.13508	5.25 Hsa.2959	27 Hsa.1343	7.05 Hsa.2459
2A	0.95	-	0.8	-	1	0.9	0.95	-	0.95	0.85	0.95	-	0.86	1	7	0.85	0.95	0.86	0.95	-	0.9	0.88
TO FIG. 2	0.7	0.95	0.75	0.6	0.7	0.65	0.75	0.85	0.85	. 0.7	0.85	0.71	0.76	0.8	0.8	0.8	0.9	0.86	0.55	0.8	0.52	0.59
	804	632	602	556	525	495	491	487	486	468	456	444	423	414	403	400	395	391	364	, 351	327	313
	154	105	64.5	61.4	48.7	26.4	37.3	93.9	93.6	57.1	84.5	99	54.8	26.7	48.4	45.8	62	62.4	4.31	6.99	12.1	44.4
	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43

## F16, 20

Repressed - Repres
113739 H.sapiens mRNA for metallothionein (HUMAN);.
194660 SMALL NUCLEAR RIBONUCLEOPROTEIN ASSOCIATED PROTEINS B AND B' (HUMAN);.
214162 H.sapiens mRNA for metallothionein (HUMAN);.
111435 TUBULIN ALPHA-1 CHAIN (Gallus gallus)
HUMAN mRNA FOR ADENOCARCINOMA-ASSOCIATED ANTIGEN (KSA), or GA733-2
196105 PLACENTAL CALCIUM-BINDING PROTEIN (HUMAN);.
127228 HEAT SHOCK PROTEIN, CHAPERONIN 10, or GroES; MITOCHONDRIAL ;.
H.sapiens Id1 mRNA.
51894 GTP-BINDING NUCLEAR PROTEIN RAN (Homo sapiens)
84680 ATP SYNTHASE ALPHA CHAIN, MITOCHONDRIAL PRECURSOR (HUMAN);.
Human non-histone chromosomal protein HMG-17 mRNA, complete cds.
PHOSPHOGLYCERATE MUTASE, BRAIN FORM (HUMAN).
Human mRNA (KIAA0108) for ORF (complete cds) and HepG2 mRNA identical sequence.
115413 HEAT SHOCK PROTEIN HSP 84 (Mus musculus).
78161 PROFILIN I (HUMAN)
124693 RAT MRNA for PROTEASOME SUBUNIT RC10-II, or HUMAN PROTEASOME SUBUNIT HSC10-II.
131036 TRANSFERRIN RECEPTOR PROTEIN (Homo sapiens)
214923 PSORIASIS-ASSOCIATED FATTY ACID BINDING PROTEIN HOMOLOG (HUMAN);.
Human mRNA (KIAA0098) for ORF (human counterpart of mouse chaperonin containing TCP-1 gene), partial cds.
Human mRNA for ORF(KIAA0101), comipete cds.
Human mRNA (KIAA0098) for ORF (human counterpart of mouse chaperonin containing TCP-1 gene), partial cds. Human mRNA for ORF(KIAA0101), comipete cds.

TO FIG. 2D

#### 16 VD

TO FIG. 20

10 FIG. &C
274422 ATPASE INHIBITOR, MITOCHONDRIAL (BOVIN).
Human hnRNP A2 protein mRNA.
46019 MCM3 HOMOLOG (HUMAN);.
73143 TUBULIN BETA-1 CHAIN (Haliotis discus)
Human Ku autoimmune antigen gene, complete cds.
Homo sapiens pstl mRNA for pancreatic secretory inhibitor (expressed in neoplastic tissue).
Human esterase D mRNA, 3'end.
49970 LUPUS LA PROTEIN (HUMAN);.
H.sapiens mRNA for TRAP beta subunit.
125446 TRANSCRIPTION INITIATION FACTOR TFIID (Homo sapiens)
Human mRNA for human homologue of rat phosphatidylethanolamine binding protein, complete cds.
120041 HLA-DR ASSOC. PROTEIN I, P31 (also called li, In, M1, Dr gamma, XM 1) (Homo sapiens)
Human protein-tyrosine phosphatase (HU-PP-1) mRNA, partial sequence.
Homo sapiens integral nuclear envelope inner membrane protein (LBR) gene, complete cds.
52626 HYPOTHETICAL GTP-BINDING PROTEIN IN PMI40-PAC2 INTERGENIC REGION (Saccharomyces cerevisiae)
H.sapiens mRNA for ATP-citrate lyase.
Human mRNA for ORF (KIAA0102), complete cds.
238612 Human bumetanide-sensitive Na-K-Cl cotransporter (NKCC1 or BSC2) mRNA, complete cds.
26573 STATHMIN (Homo sapiens)
H.sapiens mRNA for DNA primase (subunit p48).
Human c-myb mRNA, 3'end.
Human superoxide dismutase (SOD3 or EC-SOD) gene, complete cds.

## F1G. 2E

,													,										
	SAGE?									b						b	þ				D		
	EST?						2)		2	b			2	2	3	2	2)	b	2	2	2	3	
	Accession #	V00530 gene 1	J04543 gene 1	M88108 gene 1	D16294 gene 1	D42084 gene 1	H59259 3' UTR 1	X78627 gene 1	T93518 3' UTR 2a	D42041 gene 1	D21262 gene 1	L32866 gene 1	T91855 3' UTR 1	R56440 3' UTR 1	R60195 3' UTR 2a	L10678 gene 1	R56401 3' UTR 2a	D13639 gene 1	R12588 3' UTR 2a	M77836 gene 1	H01943 3' UTR 2a	T52362 3' UTR 2a	L33930 gene 1
Repressed	io   EST #	6.44 Hsa.1511	5.7 Hsa.1067	5.91 Hsa.1877	5.33 Hsa.421	7.48 Hsa.1583	Hsa.1625	5.16 Hsa.3075	6.3 Hsa. 18494	13.3Hsa.1573	5.64 Hsa.2490	11.8Hsa.1595	9.67 Hsa.1816	24.6 Hsa. 1490	8.34 Hsa.9856	23.9Hsa.150	6.09 Hsa.7048	Hsa.1315	5.7 Hsa.21993	5.38 Hsa.970	9.51 Hsa. 17935	7.73 Hsa.10122	7.2 Hsa.654
R	M in EB: Rat	1 6.	0.95	1 5.	0.9 5.	0.95 7.	0.86	1 5.	0.95	0.85 13	0.94 5.0	0.9 11	0.95	0.8 24	0.95 8.3	1 23	0.85 6.0	0.95	0.95	0.8 5.3	0.95 9.5	0.95 7.7	0.85
	B 1 PM > M	0.75	0.8	0.75	0.71	0.7	0.62	0.76	0.7	0.55	0.65	0.67	0.76	0.65	0.65	0.65	0.95	0.57	0.65	0.65	0.8	0.57	0.8
	EB PM > MM in EB 11 PM > MM in EB Ratio   EST#	0		0	0		0	0		0	0	0	0	0	0	0.	0.	0.	0.	0.	)	0.	
	Intensity in EB	303	299	296	294	290	287	280	271	264	262	261	253	251	250	248	245	242	234	234	211	206	195
	Intensity in EB 1	47.1	52.4	50.1	55.1	38.8	-49.3	54.3	43.1	19.9	46.5	22.1	26.1	10.2	29.9	10.4	40.2	69.9	41.2	43.4	22.2	26.6	27.1
	Gene #	44	45	46	47	48	49	50	51	52	53	54	55	99	22	28	59	9	61	62	63	64	65

TO FIG. 2F

# FIG. 2F

	-	τ-	Ţ	_	7	_	1	,	1	·	····		, .		-		,				
,			P											P				þ		  -	b
		P	2	b	2		2	2					b	2	$\Sigma$	$\Sigma$	2	þ	$\Sigma$	P	2
	X87212 gene 1	L31801 gene 1	T49870 3' UTR 1	U09564 gene 1	H64001 3' UTR 2a	M20867 gene 1	T70251 3' UTR 2a	T50501 3' UTR 2a	X76029 gene 1	M14219 gene 1	X74987 gene 1	D14694 gene 1	L19183 gene 1	T55008 3' UTR 1	R46716 3' UTR 2a	R88418 3' UTR 2a	R09502 3' UTR 1	D43948 gene 1	H00297 3' UTR 2a	L23959 gene 1	M22538 gene 1
	7.18Hsa.10779	11.2 Hsa. 1815	Hsa.3091	6.65 Hsa.462	Hsa.42520	8.09 Hsa. 1460	5.45 Hsa.14771	8.41 Hsa.9868	5.36 Hsa.2892	9.49 Hsa. 1361	11.5 Hsa.12976	6.06 Hsa.2485	Hsa.234	5.09 Hsa.1242	9.33 Hsa.25724	5.07 Hsa.38007	5.09 Hsa.1780	6.29 Hsa. 1615	6.82 Hsa. 13795	Hsa.1665	
F1G. 2E	6.0	0.95	0.8	0.8	0.9	0.8	0.85	0.86	-	0.0	-	0.0	0.84	6.0	0.95	0.85	0.0	0.95	0.95	0.8	-
TO F	0.7	0.7	9.0	0.5	8.0	9.0	9.0	0.76	0.7	29'0	0.75	0.55	0.37	8.0	0.7	0.7	0.65	0.7	0.85	0.55	0.67
	195	190	189	187	186	175	173	171	169	168	166	164	159	157	147	145	145	145	142	141	140
	27.2	17	-4.22	28.1	5.53	21.6	31.8	20.3	31.5	17.7	14.5	27	-8.48	30.9	15.8	28.6	28.5	23	20.8	7.23	24.6
	99	67	68	69	70	71	72	73	74	75	76	22	78	79	80	81	82	83	84	85	86

# FIG. 2G

Repressed
sphoribo
Human synexin mRNA, complete cds.
Human p62 mRNA, complete cds.
Human mRNA for mitochondrial 3-oxoacyl-CoA thiolase, complete cds.
Human mRNA (KIAA0094) for ORF (yeast methionine aminopeptidase-related), partial cds.
204299 REPLICATION PROTEIN A 14 KD SUBUNIT (HUMAN);.
H.sapiens mRNA for translin.
117708 MYOSIN HEAVY CHAIN, CLONE 203 (Hydra attenuata)
Human mRNA (KIAA0088) for ORF (alpha-glucosidase-related), partial cds.
Human mRNA (KIAA0035) for ORF (rat 140kd nucleolar phosphoprotein homologue), partial cds.
Human effector cell protease receptor-1 (EPR-1) gene, partial cds.
112020 C-1-TETRAHYDROFOLATE SYNTHASE, CYTOPLASMIC (HUMAN);.
40874 TUBULIN GAMMA CHAIN (HUMAN);.
42829 EUKARYOTIC INITIATION FACTOR 4B (Homo sapiens)
PROFILIN II (HUMAN);.
40753 RAN-SPECIFIC GTPASE-ACTIVATING PROTEIN, RanGAP (Homo sapiens)
Human mRNA for ORF (KIAK0002), or HUMAN D-TYPE CYCLIN complete cds.
128385 HAMSTER RNA FOR CYCLIN B2 (mesocricetus auratus)
PYRROLINE-5-CARBOXYLATE REDUCTASE (HUMAN);.
150169 EUKARYOTIC INITIATION FACTOR 4E (Homo sapiens)
72050 NUCLEOTIDE-SENSITIVE CHLORIDE CHANNEL (Canis familiaris), or HUMAN CHLORIDE CHANNEL REGULATORY PROTEIN MRNA

TO FIG. 2H

# F1G. 2H

TO FIG. 2G
Homo sapiens CD24 signal transducer mRNA, complete cds and 3' region.
H.sapiens mRNA for cathepsin C (dipeptidyl peptidase I ).
Homo sapiens monocarboxylate transporter 1 (SLC16A1) mRNA, complete cds.
68690 U1 SMALL NUCLEAR RIBONUCLEOPROTEIN A (HUMAN).
Human serine kinase (SRPK1) mRNA, complete cds.
209484 CD9 ANTIGEN (Bos taurus), or HUMAN T245 PROTEIN
Human glutamate dehydrogenase (GDH) mRNA, complete cds.
109334 NEGATIVE REGULATOR OF MITOSIS (Emericella nidulans)
77138 EUKARYOTIC INITIATION FACTOR 1A (Sac cerevisiae), or HUMAN PROTEIN SYNTHESIS FACTOR 4C(eIF-4C)
H.sapiens mRNA for neuromedin U.
Human chondroitin/dermatan sulfate proteoglycan (PG40) core protein mRNA, complete cds.
H.sapiens mRNA for 2'-5' oligoadenylate binding protein.
Human mRNA (KIAA0024) for ORF (putative human counterpart of chinese hamster phosphatidylserine synthase gene), complete cds.
Human MAC30 mRNA, 3' end.
74167 APOLIPOPROTEIN A-II PRECURSOR (HUMAN).
36504 GTPASE ACTIVATING PROTEIN ROTUND (Drosophila melanogaster)
166353 CLEAVAGE STIMULATION FACTOR, 50 KD SUBUNIT (Homo sapiens)
127707 LAMININ BETA-1 CHAIN PRECURSOR (HUMAN);.
Human mRNA (KIAA0097) for ORF (novel protein), complete cds.
149556 O-ANTIGEN POLYMERASE (Shigella flexneri)
Homo sapiens E2F-related transcription factor (DP-1) mRNA, complete cds.
NADH-UBIQUINONE DEHYDROGENASE 24 KD SUBUNIT PRECURSOR (HUMAN);.

# F16. 2 I

		,	,	,		,		,							
	SAGE?					<u> </u>						þ	P		
7.	EST		2	2		2	2	2	2			P	2	b	2
	-Accession #	M37510 gene 1	R61359 3' UTR 2a	T73788 3' UTR 2a	J04102 gene 1	T66747 3' UTR 2a	M21154 gene 1	R37660 3' UTR 2a	Hsa.28663 H10045 3' UTR 2a	D38553 gene 1	J04088 gene 1	H88978 3' UTR 2a	H02009 3' UTR 2a	M16827 gene 1	T96666 3' UTR 1
ressed	EST #	5.14 Hsa.1811	7.95 Hsa.6633	6.55 Hsa.13172	6.85 Hsa.1423	7.41 Hsa.13967	6.96 Hsa.1245	Hsa.13508	Hsa.28663	Hsa.1200	Hsa.2070	Hsa.45678	Hsa.18077	9.84 Hsa. 1219	11 Hsa. 1952
i nepressed	Ratio						6.96						9.27	9.84	=
	PM > MM in EB	6.0	6.0	6'0	0.85	0.9	1	1	0.85	0.95	0.0	6.0	6.0	0.95	0.0
	EB: PM > MM in EB 11: PM > MM in EB: Ratio: 1: EST	0.8	0.4	0.4	0.65	0.57	0.7	0.71	0.65	0.55	0.67	0.7	0.45	0.62	0.5
	Intensity in	139	137	136	135	134	134	132	130	129	128	124	123	121	119
	Intensity in EB 1:	27.1	17.2	20.8	19.7	18.1	19.2	7.16	-0.0563	6.27	8.89	1.42	13.2	12.3	10.9
	Gene #	87	88	88	06	91	92	93	94	95	96	97	86	66	100

## FIG. 2J

Repressed Transfer Control of Con
i, exon 13
37866 BASIGIN PRECURSOR (Gallus gallus)
84443 GA BINDING PROTEIN BETA-1 CHAIN (Homo sapiens)
Human erythroblastosis virus oncogene homolog 2 (ets-2) mRNA, complete cds.
53193 26S PROTEASE REGULATORY SUBUNIT 6 (Homo sapiens)
S-ADENOSYLMETHIONINE DECARBOXYLASE PROENZYME (HUMAN);.
26573 STATHMIN (Homo sapiens)
46827 VAV ONCOGENE (Homo sapiens)
Human mRNA (KIAA0074) for ORF (yeast C728 protein-related), partial cds.
Human DNA topoisomerase II gene (top2), gene 1
Homo sapiens cDNA clone 253186 3'
151010 EUKARYOTIC PEPTIDE CHAIN RELEASE FACTOR SUBUNIT 1 (Homo sapiens)
Human medium-chain acyl-CoA dehydrogenase (ACADM) mRNA, complete cds.
121357 A49436 CDI1=CYCLIN-DEPENDENT KINASE INTERACTOR 1 - ;.